

Request for Quotation Form

Please fill in this form as completely as you can. We will respond
within one business day after receipt.
Required fields are marked with an asterisk (*).

Contact Info:

*Company name: _____ Date: _____

*Contact: _____ Title: _____

*Telephone: _____ Fax: _____

Email: _____

Billing:
Ship to (if different):

Address: _____	_____
City: _____	_____
State: _____	_____
Zip code: _____	_____

Product Info:

* Commodity (select one):

- | | |
|---|--|
| <input type="checkbox"/> Black Plate, Double Reduced/ASTM: A625-98
<input type="checkbox"/> Black Plate, Single Reduced/ASTM: A650-98
<input type="checkbox"/> Cold Rolled Strip Steel/ASTM: 109-91
<input type="checkbox"/> Cold Rolled Steel/ASTM: A366-97; 620-97;
963-97; 969-97
<input type="checkbox"/> Electro Galvanized Steel/ASTM: A591-98; 879-96
<input type="checkbox"/> Hot Dipped Galvanized Steel/ASTM: A653-98 | <input type="checkbox"/> Stainless Steel Strip/ASTM: A240-96
<input type="checkbox"/> TFS (Chromium Coated Steel)/ASTM: A657-98
<input type="checkbox"/> Tin Coated Sheet/ASTM: A599-92
<input type="checkbox"/> Tin Plate, Double Reduced/ASTM: A624-95
<input type="checkbox"/> Tin Plate; Single Reduced/ASTM: A626-95
<input type="checkbox"/> Other: Fill in box below |
|---|--|

Other: _____

End Use: _____

Berlin Metals LLC

Alloy/Chemistry:

Carbon Steels:

- 1008/1010 Low Carbon Steel
- 1050 High Carbon Steel Strip
- 1075 High Carbon Steel Strip

Stainless Steels:

- | | |
|-------------------------------|--------------------------------------|
| <input type="checkbox"/> 301 | <input type="checkbox"/> 316L |
| <input type="checkbox"/> 302 | <input type="checkbox"/> 321 |
| <input type="checkbox"/> 304 | <input type="checkbox"/> 409 |
| <input type="checkbox"/> 304L | <input type="checkbox"/> 430 |
| <input type="checkbox"/> 305 | <input type="checkbox"/> Other _____ |

*Thickness: _____

Tolerance (+/-):

- | | |
|-----------------------------------|--------------------------------------|
| <input type="checkbox"/> +/-10% | <input type="checkbox"/> +/-0.0015 |
| <input type="checkbox"/> +/-5% | <input type="checkbox"/> +/-0.002 |
| <input type="checkbox"/> -8%+5% | <input type="checkbox"/> Other _____ |
| <input type="checkbox"/> +/-0.001 | |

*Finish:

Tin Mill Products:

- 5C Unmelted "Matte"
- 5C Melted "Silver" or "SBF"
- 7C Melted "Stone" or "Bright"
- 7C Unmelted
- 5C "Matte"
- 7C "Bright"

Hot Dipped Galv.:

- Zero Spangle
- Extra Smooth
- Min. Spangle
- Regular Spangle

Stainless Steels:

- 2B
- 1BA
- 2D

Cold Rolled:

- Dull, Matte, Number 1
- Bright, Number 2
- Best Bright, Number 3

Coating:

Tin Plate:

- 10 (1.1/1.1)
- 20 (2.2/2.2)
- 20/05 (2.2/0.55)
- 20/10 (2.2/1.1)
- 25 (2.8/2.8)
- 50 (5.6/5.6)
- 50/20 (5.6/2.2)
- 50/25 (5.6/2.8)
- 75 (8.4/8.4)
- 72/20 (8.4/2.2)
- 75/25 (8.4/2.8)
- 100 (11.2/11.2)

Electro Galv.:

- Class A: Light
- Class B: Standard Coat
- Class C: Double Coat

Hot Dipped Galv.:

- G30
- G40
- G60
- G90

Other: _____

Berlin Metals LLC
QS-9000 / ISO9002 Certified

Email: Sales@BerlinMetals.com • Phone: 800/754-8867 • Fax: 219/933-0692
Corporate Headquarters • 3200 Sheffield Avenue • Hammond, Indiana 46327

Berlin Metals LLC

*Temper/Hardness:

Tin Mill Products:

- T-1: 53 Max HR 30T
- T-2: 53 +/- 4 HR30T
- T-3: 57 +/- 4 HR30T
- T-4: 61 +/- 4 HR30T
- T-5: 65 +/- 4 HR30T
- DR-8: 72 Nom HR30T
- DR-9: 75 Nom HR30T
- DQ: 55 Max HRB
- CQ: 65 Max HRB

Stainless Steels:

- Annealed
- 1/4 Hard
- 1/2 hard
- 3/4 hard
- Full Hard
- Spring Temper

Carbon Steels:

- Full Hard, #1 Temper: 84 Min HRB
- Half Hard, #2 Temper: 70-85 HRB
- 1/4 Hard, #3 Temper: 60-75 HRB
- Temper Rolled, CQ, #4 Temper: 65 Max HRB
- Dead Soft, DQ, #5 Temper: 55 Max HRB
- CS (CQ)
- DS (DQ)
- DDS (DDQ)
- EDDS (EDDQ)

Other: _____

*Slit Width: _____

Tolerance (+/-):

- +/- .005"
- 0/+ .010"
- Other

Other: _____

Length: _____

Tolerance (+/-): _____

*Quantity: _____

Targets:

Required by date: _____

Release period: From: _____ To: _____

Typical release quantity: _____ Annual usage: _____

Current supplier: _____ Target or competitive price: _____

Berlin Metals LLC

Processing and Packaging Requirements:

I.D. Cores:

- Yes
- No

Coil I.D.:

- 16"
- 20"
- Other _____

Minimum coil O.D.: _____

Maximum coil O.D.: _____

Maximum coil weight: _____

Maximum skid weight: _____

Maximum skid height: _____

Spacers:

- 1"
- No
- Other _____

Eye:

- Vertical
- Horizontal

Wrap:

- Stretch wrap
- Bag
- Bare
- Other _____

Truck loading:

- Rear
- Side

Receiving hours: _____

Appointment required:

- Yes
- No

Freight:

- Collect
- Prepaid

Preferred carrier: _____

Certifications required:

- Yes
 - No
-

Berlin Metals LLC

QS-9000 / ISO9002 Certified

Email: Sales@BerlinMetals.com • Phone: 800/754-8867 • Fax: 219/933-0692
Corporate Headquarters • 3200 Sheffield Avenue • Hammond, Indiana 46327

Berlin Metals LLC

Miscellaneous:

Mechanical Properties:

Tensile: _____

Yield: _____

Elongation: _____

Other physical or mechanical properties:

Passivation:

- Yes
- No

Oiling:

- Yes
- No
- Standard
- Light
- Heavy
- Specific type: _____

Other Comments:

Berlin Metals LLC

QS-9000 / ISO9002 Certified

Email: Sales@BerlinMetals.com • Phone: 800/754-8867 • Fax: 219/933-0692
Corporate Headquarters • 3200 Sheffield Avenue • Hammond, Indiana 46327